

SECTION 1: Identification

1.1. Product identifier

Trade name : **Albaugh Ditto Selective Herbicide**

1.2. Other means of identification

Clodinafop-Propargyl

1.3. Recommended use of the chemical and restrictions on use

1.3.1. Recommended use

Industrial/Professional use : For professional use only

Use of the substance/mixture : Agricultural herbicide

1.3.2. Restrictions on use

No additional information available.

1.4. Details of the manufacturer/importer

Albaugh Australia Pty Ltd
Level 1, 530 Little Collins Street, MELBOURNE 3000, Australia
Tel (03) 99097183
ABN: 676 890 994

1.5. Emergency phone number

Emergency number : 1800 862 115 (Australia)
+61 2 9037 2994 Local (City): Sydney

SECTION 2: Hazards identification

2.1. Classification of the hazardous chemical

This material is hazardous according to Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Classification of the substance or mixture:

Acute oral toxicity	Category 4
Skin irritation	Category 2
Serious eye irritation	Category 2A
Reproductive toxicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 2
Aspiration hazard	Category 1
Flammable liquid	Category 4

The following hazard classes fall outside the scope of the Workplace Health and Safety Regulations:

Hazardous to the aquatic environment (acute) – Category 1

Hazardous to the aquatic environment (chronic) – Category 1

2.2. Label elements, including precautionary statements

Hazard pictograms

:



Exclamation Mark



Health hazard



Environment

Signal word

:

Danger

Hazard statements

:

AUH066 Repeated exposure may cause skin dryness or cracking.
H227 Combustible liquid
H302 Harmful if swallowed
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H373 May cause damage to organs through prolonged or repeated exposure.
H360 May damage fertility or the unborn child.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260 Do not breathe dust/ fume/gas/mist/vapours/ spray.
P264 Wash hands and forearms thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.

Albaugh Ditto Selective Herbicide

Safety Data Sheet

Safety Data Sheet according to SWA and ADG requirements

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTRE/ doctor.
P301 + P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/attention.
P314 Get medical advice/attention if you feel unwell.
P321 Specific treatment (see on this label).
P330 Rinse mouth.
P331 Do NOT induce vomiting.
P332 + P313 If skin irritation occurs: Get medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P370 + P378 In case of fire: Use CO2, powder or water spray to extinguish.
P391 Collect spillage.
P403 Store in a well-ventilated place
P405 Store locked up.
P501 Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

SECTION 3: Composition and information on ingredients

Name	Ingredient identifier (CAS No.)	Content (w/v)
Clodinafop-Propargyl	105512-06-9	24.0%
Cloquintocet-Mexyl	99607-70-2	6.0%
Liquid Hydrocarbon	64742-94-5	57.5%
N-Methylpyrrolidone	872-50-4	10.0%
Other components are not considered hazardous in this formulation and therefore are not required to be disclosed according to the WHS Regulations		

SECTION 4: First aid measures

4.1. Description of necessary first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after ingestion	: Rinse mouth. DO NOT induce vomiting. Obtain emergency medical attention.
First-aid measures after inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. Call a POISON INFORMATION CENTER (Australia) on 13 11 26 or doctor/physician.
First-aid measures after eye contact	: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Obtain emergency medical attention.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with plenty of mild soap and water. If symptoms develop, seek medical advice.
First aid facilities	Eyewash, safety shower and normal washroom facilities.

4.2. Symptoms caused by exposure

Symptoms/injuries after ingestion	: Harmful if swallowed. May be fatal if swallowed and enters airways.
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after skin contact	: Causes skin irritation. Repeated exposure may cause skin dryness or cracking.

4.3. Medical attention and special treatment

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Suitable extinguishing equipment

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray..
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

This product is classified as a C1 combustible product. Product is not flammable but may burn in fire.

In the event of fire the following may be released: oxides of carbon and nitrogen, nitrogen, other nitrogen compounds, hydrogen chloride, other chlorine compounds, hydrogen cyanide and smoke.

Albaugh Ditto Selective Herbicide

Safety Data Sheet

Safety Data Sheet according to SWA and ADG requirements

5.3. Special protective equipment and precautions for firefighters

Firefighting instructions	: Fight fire from safe distance and protected location. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering drains or water bodies. Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth. Do not allow run-off from fire fighting to enter drains or water courses.
Protection during firefighting	: In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit. Do not enter fire area without proper protective equipment, including respiratory protection. Breathable air apparatus must be worn when fighting a fire in which this product is involved.
Hazchem code	•3Z (bulk only)

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with spilled product or contaminated surfaces. Wear appropriate personal protective equipment and clothing to prevent exposure. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

Protective equipment	: Do not attempt to take action without suitable protective equipment. See Section 8
Emergency procedures	: Ventilate area. Do not breathe mist/vapours/spray. Avoid contact with skin and eyes. Only qualified personnel equipped with suitable protective equipment may intervene.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters. Avoid release to the environment.

6.3. Methods and materials for containment and cleaning up

Soak up spills with inert solids, such as clay, sand, soil, vermiculite or diatomaceous earth as soon as possible. Collect spillage in sealable open-top type containers for disposal. If large liquid spills occur, attempt to recover as much spilt material from sumps and bunded areas, as possible, before absorbing remaining material into vermiculite or other absorbent.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not breathe mist/spray. Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes.

Wear personal protective equipment. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep only in the original container in a cool, well ventilated place out of direct. Store in a locked enclosure. Keep container tightly closed. Do not store with seed, fertilisers, food or feedstuffs.
Incompatibilities	: Strong acids, bases, oxidising agents and combustible materials. Protect from direct sunlight, heat, hot surfaces, sparks, open flames and other sources of ignition.

SECTION 8: Exposure controls/personal protection

8.1. Exposure control measures

Exposure standards	No value assigned for this specific material by Safe Work Australia. However, the exposure standard for the constituent, N-Methylpyrrolidone (CAS 872-50-4): TWA = 103 mg/m ³ (25 ppm) STEL = 309 mg/m ³ (75 ppm) Note Sk: Skin absorption notice: Absorption through the skin may be a significant source of exposure. As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants
--------------------	---

8.2. Biological monitoring

No biological limit allocated for the product. No biological monitoring is required.

8.3. Control banding

Not available.

8.4. Engineering controls

Handle in well-ventilated areas, generally natural ventilation is adequate.

8.5. Individual protection measures

Personal protective equipment	: Avoid all unnecessary exposure. When opening the container, preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length PVC gloves and goggles and appropriate respiratory protection. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. After each day's use, wash contaminated clothing and safety equipment.
Eye and face protection	: Chemical goggles or safety glasses. Eye protection devices should conform to relevant regulations. Consult AS/NZS 1336 and AS/NZS 1337 for further information.

Albaugh Ditto Selective Herbicide

Safety Data Sheet

Safety Data Sheet according to SWA and ADG requirements

Skin protection	: Wear protective gloves of impervious material. Occupational protective gloves should conform to relevant regulations. Consult AS/NZS 2161 and AS/NZS 4501 for further information.
Respiratory protection	: If ventilation is inadequate, suitable respiratory protection should be worn, consult AS/NZS 1715 and AS/NZS 1716 for further information.
Thermal hazards	: No further relevant information available.

SECTION 9: Physical and chemical properties

Physical state	: Liquid
Colour	: light yellow to brown
Odour	: No data available
Odour threshold	: No data available
pH	: 4.0 - 8.0
Density	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 60 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability	: Combustible liquid C1
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.02 - 1.09
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
Particle characteristics	: Not applicable
Partition coefficient: n-octanol/water (log value)	: No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is unlikely to react under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Direct sunlight. Heat. No flames, no sparks. Eliminate all sources of ignition

10.5. Incompatible materials

Strong acids. Strong bases. Keep away from strong oxidising agents and combustible materials.

10.6. Hazardous decomposition products

Thermal decomposition may result in the release of toxic and/or irritating fumes. Oxides of carbon and nitrogen, nitrogen, other nitrogen compounds, hydrogen chloride, other chlorine compounds and hydrogen cyanide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Albaugh Ditto Selective Herbicide

Acute toxicity	: Considered to be harmful if swallowed. Not considered to be acutely toxic via dermal or inhalation routes of exposure, according to available information.
Skin corrosion/irritation	: Causes skin irritation. Repeated exposure may cause skin dryness or cracking.
Serious eye damage/irritation	: Causes serious eye irritation.

Albaugh Ditto Selective Herbicide

Safety Data Sheet

Safety Data Sheet according to SWA and ADG requirements

Albaugh Ditto Selective Herbicide

Respiratory or skin sensitisation	: Not a skin sensitiser and not expected to be a respiratory sensitiser according to available information.
Germ cell mutagenicity	: Not suspected to cause genetic defects according to available information.
Carcinogenicity	: Not considered to be carcinogenic according to available information.
Reproductive toxicity	: May damage fertility or the unborn child.
Specific target organ toxicity (single exposure)	: Not expected to cause toxicity to a specific target organ through single exposure according to available information.
Specific target organ toxicity (repeated exposure)	: May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1. Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Clodinafop-Propargyl (CAS 105512-06-9)	
LC50 Fish (96h)	0.39 mg/l (EPM)
EC50 Crustacea (48h)	> 60 mg/l (EPM)
ErC50 Algae (96-120h)	7.39 mg/l (EPM)
ErC50 other aquatic plants (Lemna)	0.0024 mg/l (EPM)

12.2. Persistence and degradability

Persistence and degradability : No additional information available.

12.3. Bioaccumulative potential

Bioaccumulative potential : No additional information available.

12.4. Mobility in soil

Mobility in soil : No additional information available.

12.5. Other adverse effect

Other information : No additional information available.

SECTION 13: Disposal considerations

Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product. Do not reuse container for any other purpose.

SECTION 14: Transport information

Road and rail transport	: Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail as per the Australian Special Provisions AU01.
Additional Information:	: Australian Special Provisions AU01: Environmentally Hazardous Substances meeting the description of UN 3077 or UN 3082 are not subject to this Code when transported by road or rail in; (a) packagings that do not incorporate a receptacle exceeding 500 Kg (L); or (b) IBCs.

Marine transport:	: Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; MARINE POLLUTANT
UN Number	: 3082
Proper Shipping Name or Technical Name:	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (CONTAINS CLODINAFOF-PROPARGYL, CLOQUINTOCET-MEXYL)
Transport Hazard Class:	: 9
Packaging Group:	: III
IMDG EMS Fire:	: F - A
IMDG EMS Spill:	: S - F
Environmental Hazards:	: Yes. Marine Pollutant.
Special Precautions for User:	: Not available.
Additional Information:	: The marine pollutant mark is not required when transported in sizes of ≤ 5 L or ≤ 5 kg.

Albaugh Ditto Selective Herbicide

Safety Data Sheet

Safety Data Sheet according to SWA and ADG requirements

Air transport:

IATA provision SP A197: Environmentally Hazardous Substances meeting the description of UN 3077 or UN 3082 are not subject to this Code when transported air in packages that have inner packages (plastic bottles, glass bottles, plastic bags) of 5 L for UN3082 and 5 kg for UN3077 or less.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations

APVMA Number	: 81130
Poison Schedule	: Schedule 6
AICIS	: Listing in the AICS is not required for products regulated by the APVMA.

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

SECTION 16: Any other relevant information

Date of issue	: 15/05/2025
Version	: 001
Reason(s) for issue	: First issue
Literature References	: See respective sections for information
Abbreviations	: ADG Code - Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition) AICIS – Australian Industrial Chemicals Introduction Scheme (formerly NICNAS) AIIC - Australian Inventory of Industrial Chemicals APVMA – Agricultural Pesticides and Veterinary Medicines Australia ATE - Acute Toxicity Estimate BCF - Bioconcentration factor BLV - Biological limit value BOD - Biochemical oxygen demand (BOD) CAS No. - Chemical Abstract Service number COD - Chemical oxygen demand (COD) EC50 - Median effective concentration EPM - British Crop Protection Council Database, e-Pesticide Manual GHS - Globally Harmonised System of Classification and Labelling of Chemicals (7th revised edition) 2017 IARC - International Agency for Research on Cancer IATA - International Air Transport Association IMDG - International Maritime Dangerous Goods LC50 - Median lethal concentration LD50 - Median lethal dose LOAEL - Lowest Observed Adverse Effect Level NOAEC - No-Observed Adverse Effect Concentration NOAEL - No-Observed Adverse Effect Level NOEC - No-Observed Effect Concentration N.O.S. - Not Otherwise Specified Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (June 2023) STEL - Short term exposure limit means the average airborne concentration of a substance calculated over a 15 minute period. The STEL should not be exceeded at any time during a normal eight hour working day. Stillmeadow - Stillmeadow, Inc. with address: 12852 Park One Drive Sugar Land, TX 77478 SUSMP - Standard for the Uniform Scheduling of Medicines & Poisons SWA - Safe Work Australia, formerly ASCC and NOHSC TECAM - Tecnologia Ambiental São Roque Ltda ThOD - Theoretical oxygen demand (ThOD) TLM - Median Tolerance Limit TGA – Therapeutic Goods Australia TWA - Time-weighted average means the average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week. VOC - Volatile Organic Compounds WHS – Workplace Health and Safety

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product