

BINDER® 100 EC

**LIQUID, IN-FURROW INSECTICIDE WITH PROVEN
PERFORMANCE AGAINST SEED- AND SEEDLING- ATTACKING
INSECT PESTS FOR BETTER STANDS.**

Albaugh BINDER® 100 EC Insecticide is a contact and residual insecticide/miticide. It can be used as a protective treatment when applied at regular intervals or as a knockdown treatment to control existing pests. Best results are obtained when BINDER® 100 EC is applied before pest populations build up to damaging levels.

For the control of *Helicoverpa* spp. in cotton, tomatoes, lucerne seed crops, navy beans; carpophilus beetle in stone fruit (except cherries); certain species of mites in bananas, cotton and tomatoes; longtailed mealy bug in pears; banana weevil borer and banana rust thrips in bananas; mirids in cotton; whitefly in tomatoes; redlegged earth mite, blue oat mite, bryobia mite, webworm and brown pasture looper in faba beans, subterranean clover, clover, canola, wheat, barley, field peas, lupins and lucerne; vegetable weevil in canola; and certain species of wireworms in cotton and sugar cane; fig longicorn in grapes and citrus leafeating weevil in citrus as per the Directions of Use.

PRODUCT OVERVIEW

- BINDER® 100 EC may be applied by either ground rig or aircraft.
- Budworm and Bollworm: Applications should be timed to coincide with egg hatch and when small larvae up to 5mm are present.
- Broad spectrum insect control.
- Registered in 20+ crops.

Talstar® is a registered trademark of FMC Corporation



ACTIVE INGREDIENT

100 g/L Bifenthrin

I.R.A.C. GROUP

GROUP 3A INSECTICIDE

FORMULATION

Emulsifiable Concentrate

POISON SCHEDULE

Schedule 6

COMPARE TO

Talstar®

MODE OF ACTION

Sodium channel modulator

SIGNAL HEADING

POISON
KEEP OUT OF REACH OF
CHILDREN
READ SAFETY DIRECTIONS
BEFORE OPENING OR USING

PACKAGING

1LTR, 5LTR, 20LTR

APVMA APPROVAL NO.

80901/141768

STATES AND TERRITORIES REGISTERED

ACT, NSW, NT, QLD, SA, TAS, VIC,
WA