

ROMETRI® 480 SC

**FOR SELECTIVE WEED CONTROL IN VARIOUS BROADACRE
AND VEGETABLE CROPS**



Albaugh ROMETRI® 480 SC Selective Herbicide is effective against a range of broadleaf weeds and some grasses. ROMETRI® 480 SC is absorbed by roots, shoots and leaves of weeds. It can therefore be applied before or after weeds emerge depending on the tolerance of the crop being treated.

Application: General - best results are obtained if treatment is made to moist soil and moisture is supplied by rainfall or sprinkler irrigation (6-12 mm) within 2 weeks after application. If heavy rains occur soon after application, injury to the crop may result.

PRODUCT OVERVIEW

- Crops registered: Asparagus, barley, chickpea, faba bean, lentil, lupin, oats, field pea, pigeon pea, potato, soybeans, tomato, vetch, wheat and white lupin.

ACTIVE INGREDIENT

480 g/L Metribuzin

H.R.A.C. GROUP

GROUP 5 HERBICIDE

FORMULATION

Suspension Concentrate

POISON SCHEDULE

Schedule 6

COMPARE TO

Various

MODE OF ACTION

Triazinone; inhibitors of photosynthesis at photosystem II

SIGNAL HEADING

POISON
KEEP OUT OF REACH OF
CHILDREN
READ SAFETY DIRECTIONS
BEFORE OPENING OR USING

PACKAGING

10LTR, 20LTR

APVMA APPROVAL NO.

69264/141466

STATES AND TERRITORIES REGISTERED

ACT, NSW, NT, QLD, SA, TAS, VIC,
WA



See label for complete application guidelines and restrictions.