

XSTRATA® Gold

Azoxystrobin 11% + Tebuconazole 18.3% SC
(Fungicide)

एक्स्ट्राटा गोल्ड

एजोकिसस्ट्रोबीन 11% + टेबुकोनाजोल 18.3% एससी
(फॉर्मोनाशक)

Azoxystrobin 11%+ Tebuconazole 18.3% w/w SC is a fungicide for control of Fruit rot, Die back, Powdery mildew in Chili; Downy mildew & Powdery mildew in Grape; Scab, Powdery mildew & Premature leaf fall in Apple; Purple blotch in Onion; Sheath blight in Rice; Yellow rust in Wheat; Early blight in Tomato; Early blight & Late blight in Potato crop. This formulation is equivalent to Azoxystrobin 12% + Tebuconazole 20% SC on w/v basis. **Caution:-** The combination product is toxic to fish and aquatic organism therefore, not to be used near aquaculture.

Recommendation:

Crop(s)	Common Name of Diseases	Dosage/HA	Dilution in Water (Ltr)	Waiting Period between last spray to harvest (days)	Instructions
		A.I. (gm)	Formulation (ml)		
Apple	Scab, Powdery mildew, Premature leaf fall	0.11+ 0.183/ Ltr	1.0/Ltr of water	8-12 Ltr/tree	10
Chilli	Fruit rot, Powdery mildew, Dieback	72+120	600	500-750	5
Grape	Downy mildew, Powdery mildew	82.5+ 137.25	750	500	10
Onion	Purple blotch	82.5+ 137.25	750	800	7
Potato	Early blight, Late blight	82.5+ 137.25	750	500	-
Rice	Sheath blight	82.5+ 137.25	750	800	-
Tomato	Early blight	82.5+ 137.25	750	500	7
Wheat	Yellow rust	82.5+ 137.25	750	500	-

Direction of Use: Take the measured quantity of fungicide and add to it a small quantity of water. Stir thoroughly using a stick or rod and then add remaining quantity of water, stir well to form final spray solution.

Time of Application: To be applied preventively and to be repeated at 15 days interval depending upon prevailing weather conditions and disease pressure.

Precautions: 1. During spraying wear suitable respiratory equipment. 2. Wear suitable protective clothing and chemical resistant boots. 3. Wear suitable gloves. 4. Wear chemical goggles or face shield.

Symptoms of Poisoning: Irritating to eyes. May cause sensitization by skin contact.

First Aid: 1. Inhalation: Remove victim to fresh air. Keep victim warm and at rest. If breathing is difficult, give oxygen obtain medical attention. 2. Ingestion: Do not induce vomiting. Wash out mouth with plenty of water. Rinse mouth before giving glass of water. Never give anything by mouth to an unconscious person. If breathing is difficult, give oxygen get medical attention. 3. Skin Contact: Remove affected clothing and wash all exposed skin area with soap and water followed by warm water rinse. Consult a doctor in the event of any complaints. 4. Eye contact: Wash off with plenty of water if pain persists, consult an eye specialist.

Phytotoxicity: Non phytotoxic when used as recommended.

Antidote: There is no specific antidote. Treat symptomatically and give supportive therapy.

Disposal of Used Container: 1. Empty containers should not be re-used. 2. Destroy the empty container after use and bury them 1/2 meter deep in soil away from habitation. 3. Surplus spray material or washings from machines and containers should be disposed off in a safe manner so as to prevent environmental and water pollution.

Storage Conditions: 1. Do not store consume food, drink or tobacco in areas where they become contaminated with this material. 2. Store the fungicide in its original pack tightly closed, away from the reach of children, irresponsible persons and livestock in a separate room, away from the rooms used for storing foodstuffs, animal feeds and other articles, under lock and key. 3. The rooms or premises meant for storing shall be well built, cool, dry, well lit and ventilated and should be of sufficient dimension to avoid contamination with vapour. 4. Transport the fungicide in such a manner so as not to come in contact with foodstuffs and animal feed.

Chemical Composition:

Azoxystrobin a.i.	11.00% w/w
Tebuconazole a.i.	18.30% w/w
Magnesium Aluminium Silicate	0.92% w/w
Polyalkoxylated butyl ether	1.83% w/w
Methyl methacrylate graft copolymer	2.75% w/w
Sodium alkylNaphthalene sulfonate	0.92% w/w
formaldehyde condensate	0.92% w/w
Dimethylpolysiloxane	0.37% w/w
1,2 Benzisothiazoline-3-one	0.09% w/w
Propylene glycol	7.3% w/w
Heteropolysaccharide 2% solution	0.028% w/w
Water	QS %

Total: 100.00% w/w

Caution: 1. Not to Be Used on Crops other than Specified on this Label/Leaflet. 2. Not to be Used for Post-harvest Application. 3. Destroy the container after use as directed on leaflet. 4. Directions and dosage for poly house and confined area-refer to the leaflet.

एक्स्ट्राटा गोल्ड

एजोकिसस्ट्रोबीन 11% + टेबुकोनाजोल 18.3% एससी
(फॉर्मोनाशक)

Azoxystrobin 11%+ Tebuconazole 18.3% w/w SC is a fungicide for control of Fruit rot, Die back, Powdery mildew in Chili; Downy mildew & Powdery mildew in Grape; Scab, Powdery mildew & Premature leaf fall in Apple; Purple blotch in Onion; Sheath blight in Rice; Yellow rust in Wheat; Early blight in Tomato; Early blight & Late blight in Potato crop. This formulation is equivalent to Azoxystrobin 12% + Tebuconazole 20% SC on w/v basis. **Caution:-** The combination product is toxic to fish and aquatic organism therefore, not to be used near aquaculture.

Recommendation:

Crop(s)	Common Name of Diseases	Dosage/HA	Dilution in Water (Ltr)	Waiting Period between last spray to harvest (days)	Instructions
		A.I. (gm)	Formulation (ml)		
Apple	Scab, Powdery mildew, Premature leaf fall	0.11+ 0.183/ Ltr	1.0/Ltr/tree	8-12 Ltr/tree	10
Chilli	Fruit rot, Powdery mildew, Dieback	72+120	600	500-750	5
Grape	Downy mildew, Powdery mildew	82.5+ 137.25	750	500	10
Onion	Purple blotch	82.5+ 137.25	750	800	7
Potato	Early blight, Late blight	82.5+ 137.25	750	500	-
Rice	Sheath blight	82.5+ 137.25	750	800	-
Tomato	Early blight	82.5+ 137.25	750	500	7
Wheat	Yellow rust	82.5+ 137.25	750	500	-

Direction of Use: Take the measured quantity of fungicide and add to it a small quantity of water. Stir thoroughly using a stick or rod and then add remaining quantity of water, stir well to from final spray solution.

Time of Application: To be applied preventively and to be repeated at 15 days interval depending upon prevailing weather conditions and disease pressure.

Precautions: 1. During spraying wear suitable respiratory equipment. 2. Wear suitable protective clothing and chemical resistant boots. 3. Wear suitable gloves. 4. Wear chemical goggles or face shield.

Symptoms of Poisoning: Irritating to eyes. May cause sensitization by skin contact.

First Aid: 1. Inhalation: Remove victim to fresh air. Keep victim warm and at rest. If breathing is difficult, give oxygen obtain medical attention. 2. Ingestion: Do not induce vomiting. Wash out mouth with plenty of water. Rinse mouth before giving glass of water. Never give anything by mouth to an unconscious person. If breathing is difficult, give oxygen get medical attention. 3. Skin Contact: Remove affected clothing and wash all exposed skin area with soap and water followed by warm water rinse. Consult a doctor in the event of any complaints. 4. Eye contact: Wash off with plenty of water if pain persists, consult an eye specialist.

Phytotoxicity: Non phytotoxic when used as recommended.

Antidote: There is no specific antidote. Treat symptomatically and give supportive therapy.

Disposal of Used Container: 1. Empty containers should not be re-used. 2. Destroy the empty container after use and bury them 1/2 meter deep in soil away from habitation. 3. Surplus spray material or washings from machines and containers should be disposed off in a safe manner so as to prevent environmental and water pollution.

Storage Conditions: 1. Do not store consume food, drink or tobacco in areas where they become contaminated with this material. 2. Store the fungicide in its original pack tightly closed, away from the reach of children, irresponsible persons and livestock in a separate room, away from the rooms used for storing foodstuffs, animal feeds and other articles, under lock and key. 3. The rooms or premises meant for storing shall be well built, cool, dry, well lit and ventilated and should be of sufficient dimension to avoid contamination with vapour. 4. Transport the fungicide in such a manner so as not to come in contact with foodstuffs and animal feed.

Chemical Composition:

Azoxystrobin a.i.	11.00% w/w
Tebuconazole a.i.	18.30% w/w
Magnesium Aluminium Silicate	0.92% w/w
Polyalkoxylated butyl ether	1.83% w/w
Methyl methacrylate graft copolymer	2.75% w/w
Sodium alkylNaphthalene sulfonate	0.92% w/w
formaldehyde condensate	0.92% w/w
Dimethylpolysiloxane	0.37% w/w
1,2 Benzisothiazoline-3-one	0.09% w/w
Propylene glycol	7.3% w/w
Heteropolysaccharide 2% solution	0.028% w/w
Water	QS %

Total: 100.00% w/w

Caution: 1. Not to Be Used on Crops other than Specified on this Label/Leaflet. 2. Not to be Used for Post-harvest Application. 3. Destroy the container after use as directed on leaflet. 4. Directions and dosage for poly house and confined area-refer to the leaflet.

ऐस्ट्राटा गोल्ड

ऐजोकिसस्ट्रोबीन 11% + टेबुकोनाजोल 18.3% एससी
(फॉर्मोनाशक)

Azoxystrobin 11% + Tebuconazole 18.3% SC is a fungicide for control of Fruit rot, Die back, Powdery mildew in Chili; Downy mildew & Powdery mildew in Grape; Scab, Powdery mildew & Premature leaf fall in Apple; Purple blotch in Onion; Sheath blight in Rice; Yellow rust in Wheat; Early blight in Tomato; Early blight & Late blight in Potato crop. This formulation is equivalent to Azoxystrobin 12% + Tebuconazole 20% SC on w/v basis. **Caution:-** The combination product is toxic to fish and aquatic organism therefore, not to be used near aquaculture.

Recommendation:

Crop(s)	Common Name of Diseases	Dosage/HA	Dilution in Water (Ltr)	Waiting Period between last spray to harvest (days)	Instructions
		A.I. (gm)	Formulation (ml)		
Apple	Scab, Powdery mildew, Premature leaf fall	0.11+ 0.183/ Ltr	1.0/Ltr/tree	8-12 Ltr/tree	10
Chilli	Fruit rot, Powdery mildew, Dieback	72+120	600	500-750	5
Grape	Downy mildew, Powdery mildew	82.5+ 137.25	750	500	10
Onion	Purple blotch	82.5+ 137.25	750	800	7
Potato	Early blight, Late blight	82.5+ 137.25	750	500	-
Rice	Sheath blight	82.5+ 137.25	750	800	-
Tomato	Early blight	82.5+ 137.25	750	500	7
Wheat	Yellow rust	82.5+ 137.25	750	500	-

Direction of Use: Take the measured quantity of fungicide and add to it a small quantity of water. Stir thoroughly using a stick or rod and then add remaining quantity of water, stir well to from final spray solution.

Time of Application: To be applied preventively and to be repeated at 15 days interval depending upon prevailing weather conditions and disease pressure.

Precautions: 1. During spraying wear suitable respiratory equipment. 2. Wear suitable protective clothing and chemical resistant boots. 3. Wear suitable gloves. 4. Wear chemical goggles or face shield.

Symptoms of Poisoning: Irritating to eyes. May cause sensitization by skin contact.

First Aid: 1. Inhalation: Remove victim to fresh air. Keep victim warm and at rest. If breathing is difficult, give oxygen obtain medical attention. 2. Ingestion: Do not induce vomiting. Wash out mouth with plenty of water. Rinse mouth before giving glass of water. Never give anything by mouth to an unconscious person. If breathing is difficult, give oxygen get medical attention. 3. Skin Contact: Remove affected clothing and wash all exposed skin area with soap and water followed by warm water rinse. Consult a doctor in the event of any complaints. 4. Eye contact: Wash off with plenty of water if pain persists, consult an eye specialist.

Phytotoxicity: Non phytotoxic when used as recommended.

Antidote: There is no specific antidote. Treat symptomatically and give supportive therapy.