JM-IMPETU 69 WP-LEAFLET-20150423 SIZE:180(W)X150(H)MM

PIMI05M010150423

DO NOT CONTAMINATE RIVERS, LAKES, PONDS OR GROUND WATER WITH THIS PRODUCT OR WITH CONTAINERS AND BOTTLES

MANAGEMENT OF BOTTLES, PACKING AND RESIDUES

In case of liquid spillage or residues of pesticides absorb with sand, wood chips or any absorbent material, placing the residues in a hermetic container and take to the distributor or dispose of in authorized landfill. Use the entire content of the bottles and when empty wash and triple rinse with clean water, adding the solution to the spray tank, destroy or puncture the empty containers. If the country has an official program for collection and empty container disposal, take these to the closest collecting center or dispose according with the instructions of the distributor of the product.

EMPTY CONTAINERS NEED TO BE WASHED THREE TIMES; WATER RESULTING FORM THE TRIPLE RINSE MUST BE ADDED TO THE SPRAYING TANK.

USING THE EMPTY PACKING AND CONTAINERS FOR DIFFERENT USE AS INTENDED, REPRESENTS A RISK TO HUMANS AND THE ENVIRONMENT.

GUARANTEE NOTE

The manufacturer and registrant guarantees the quality of the product in its original and sealed hermetic container. It also guarantees the efficacy of the product, if it is used as indicated in the pamphlet. Since the storage and handling is out of our control it is impossible to assume the responsibility of damage resulting from such factors. We also guarantee the chemical composition of the product as indicated in the label, when the bottle is originally sealed.

MANUFACTURER

JIANGSU ROTAM CHEMISTRY CO. LTD., CHINA PHONE: 0512 - 5771 - 1988 FAX: 0512 - 5771 - 8697

IMPORTER: DISTRIBUTOR:

COUNTRY REGISTRATION DATE OF NUMBER REGISTRATION

Jamaica MHPF/002/15 April/1/2015

¡STOP! AND READ THIS PAMPHLET BEFORE USING THIS PRODUCT, AND CONSULT A PROFESSIONAL IN AGRICULTURAL SCIENCES

IMPETU®69WP

FUNGICIDE MIX - CINNAMIC ACID DERIVATE, + DITHIOCARBAMATE Dimethomorph, Mancozeb.

CHEMICAL COMPOSITION	w/w
Dimethomorph: (E,Z) -4-[3-(4-chlorophenyl)-3-	
(3,4-dimethoxyphenyl) acryloyl] morpholine	9%
Mancozeb: complex of a zinc salt and polymeric manganese	
ethylenebis (dityiocarbamate)	60%
Inert Ingredients	31%
TOTAL10	00 %

Content: 690 grams of active ingredients per kilo of formulated product

CAUTION

KEEP OUT OF THE REACH OF CHILDREN
ANTIDOTE: NO KNOWN ANTIDOTE
THIS PRODUCT MAY BE FATAL IF SWALLOWED
AND/OR INHALED, IT MAY CAUSE DAMAGE TO EYES
AND SKIN BY EXPOSURE

DO NOT STORE IN HOMES

MAINTAIN AWAY FORM CHILDREN, MENTALLY ILL PEOPLE,
DOMESTIC ANIMALS, FOOD AND MEDICINE

AGRONOMIC USES: MODE OF ACTION:

IMPETU® 69 WP is a mixture of a systemic and a protectant fungicide. Dimethomorh is absorbed by leaves, stem and roots of treated plants and is transferred to the site of action (acropetal translocation), where it acts on the synthesis of essential proteins, needed for growth and development of the pathogens. Mancozeb is of multiple action, with effect on the respiration and energy generation in the fungi, acting on the following processes: 1- inhibits the production of energy (ATP), 2- affects the metabolism of glucose, 3- affecting the oxidation of the fatty acids and of amino acids and 4- inhibits the incorporation of oxygen and liberation of CO₂.

JM-IMPETU 69 WP-LEAFLET-20150423 SIZE:180(W)X150(H)MM

EQUIPMENT FOR APPLICATION

IMPETU® 69 WP can be applied with any terrestrial equipment, including back sprayers, using hollow cone nozzles designed for fungicide application, producing



fine drops and a good coverage. Personnel manipulating this product should use complete personal protection equipment; boots. face mask, goggles, gloves, cover all or long sleave shirt and long pants. Before loading the equipment, make sure it is in good working conditions, without leaks, and well calibrated. This product does not affect the spraying equipments

PREPARING THE TANK MIX:

It is recommended to prepare a pre mix of the dosage to be used and water, after that fill the spray tank to ½ the volume of the required water, start stirring, add the premix to the tank and while stirring add the rest of the water up to the required volume. Use complete personal protection equipment to prepare the spray mix. La used equipments need to be washed carefully after preparing and applying the product.

RECOMMENDED USES:

CROP	DISEASE	DOSAGE	TIME OF APPLICATION
Tabacco (Nicotiana tabacum)	Blue Mold (Peronospora tabacina)	750 gr. of product per 200 L of water	In seed beds apply preventive and previous to transplant.
Potato (Solanum tuberosum) Tomato (Lycopersicum sp.)	Late Blight (Phytophthora infestans)	750 gr. of product per 200 L of water	Apply preventive or with first symptoms of the disease.

SPRAY INTERVALS:

Apply each 7-10 days depending on the climate and disease pressure. Rotate with products with different mode of action. Do not apply more tan 4 times during one crop cycle.

PRE HARVEST INTERVALS:

7 Days for potato, tomato and tobacco.

PERIOD OF REENTRY TO TREATED AREAS:

Reentry is recommended 24 hours after treatment.

PHYTOTOXICITY:

The product is not phytotoxic to the crops at the recommended rates and uses.

COMPATABILITY

When used as recommended by the manufacturer, IMPETU 69 WP is compatible and can be applied in mixture with other Agrochemical products of common use in agriculture, however before preparing a tank mix for the first time it is recommended to make a test.

It is not compatible with alkaline compounds like calcium carbonate.

PRECAUTIONS AND INSTRUCTIONS OF USE STORAGE AND TRANSPORT:

- 1. IMPETU® 69 WP should not be transported or stored together with food products, forages or medicines, for human and animal
- 2. Store under lock in a dry, fresh and ventilated place.
- 3. Wash with abundant water and soap after manipulating the product, especially before having food, drink or smoke.
- 4. Personnel manipulating IMPETU® 69 WP should use goggles, gloves and face mask. 5. Maintain away from heat and in its original, well sealed container, and appropriately labeled.

DO NOT STORE IN HOMES

MAINTAIN AWAY FROM CHILDREN. MENTALLY ILL PERSONS DOMESTIC ANIMALS, FOOD AND MEDICINE



DO NOT EAT, SMOKE OR DRINK DURING THE HANDLING AND APPLICATION OF THIS PRODUCT, TAKE A SHOWER AFTER WORK AND PUT ON CLEAN CLOTHES



SYMPTOMS OF INTOXICATION:

It may cause irritation to skin, eyes and mucosa.

FIRST AID

INGESTION: Induce vomiting giving a mixture of warm water with

INHALATION: Move the affected person to a place with fresh air and maintain at rest until recovered.

CONTACT WITH EYES: Clean the eye with plenty water for 15

minutes.

CONTACT WITH SKIN: If there is contact with skin, clean with plenty water and soap, remove all contaminated clothing and clean skin with water and soap.

NEVER GIVE DRINK OR INDUCE VOMITING TO PERSONS NOT CONSCIOUS

ANTIDOTE AND MEDICAL TREATMENT:

There is no specific antidote, treat the patient symptomatically.

NATIONAL CENTERS OF INTOXICATIONS

COUNTRY INSTITUTE **TELEPHONE**

JAMAICA POISON CONTROL CENTER CARPIN

1-888-764-7667 or 188- POISONS

NORMS TO PROTECT THE ENVIRONMENT TOXIC TO FISH AND CRUSTACEAE

