

# DURUS™

**TRIPLE MODE-OF-ACTION HERBICIDE TO  
INCREASE WEED SPECTRUM AND MINIMIZE  
WEED RESISTANCE IN CORN.**

Durus™ is for use in field corn, production seed corn and yellow popcorn and contains the safener, dichlormid. It may be used pre-plant, preemergence (after planting but before crop emergence), or postemergence (after crop emergence) in field corn, field seed corn, and field silage corn fields. For yellow popcorn, Durus must be applied before crop emergence (i.e., pre-plant or preemergence) or severe crop injury may occur.

## PRODUCT FEATURES

- Three modes of action to control a range of grass and broadleaf weeds by interfering with normal germination, growth and seedling development.
- May be tank mixed with other registered herbicides to broaden the spectrum of control and manage weed resistance.
- Apply via ground pre-plant, preemergence, postemergence or dry bulk fertilizer impregnation.

See label for complete application guidelines and restrictions.



### ACTIVE INGREDIENTS

2.85 lb/gal acetochlor  
1.92 lb/gal atrazine  
0.30 lb/gal mesotrione

### HRAC GROUPS

15, 5 & 27

### FORMULATION

Suspension concentrate

### REI

12 hrs

### COMPARE TO

N/A

### MODES OF ACTION

Very long chain fatty acid synthesis inhibitor, photosystem II inhibitor, HPPD inhibitor

### SIGNAL WORD

Caution

### RESTRICTED USE

Yes

### PACKAGING

NR 265, bulk

### EPA REG NUMBER

83100-62-83979 | AD110322



## FREQUENTLY ASKED QUESTIONS

How much acetochlor, mesotrione, and atrazine are you delivering per acre with Durus compared to other tank mixes?

Durus	2.15 qt/A	2.4 qt/A	2.6 qt/A	2.8 qt/A
Verify™ (EPA Reg. No. 83979-8) / Harness® (EPA Reg. No. 524-473) (acetochlor)	0.88 qt/A	0.98 qt/A	1.06 qt/A	1.14 qt/A
Atrazine 4L	1.03 qt/A	1.15 qt/A	1.25 qt/A	1.34 qt/A
Atrazine 90DF	1.15 lbs/A	1.28 lbs/A	1.39 lbs/A	1.49 lbs/A
Mesotrione 4SC (EPA Reg. NO. 42750-315)	5.16 fl oz/A	5.76 fl oz/A	6.24 fl oz/A	6.72 fl oz/A

### Can I use Durus in my herbicide program for glyphosate- or glufosinate-tolerant corn?

- Yes. Refer to label for complete instructions on incorporating Durus as part of a preemergence or postemergence program in glyphosate- or glufosinate-tolerant corn.

### What are the maximum application rates per calendar year when using Durus?

#### Acetochlor

When tank mixing or sequentially applying products containing acetochlor with Durus to corn, do not exceed a rate of 3.0 lbs ai of acetochlor (1.05 gal) per acre per year.

#### Mesotrione

When tank mixing or sequentially applying products containing mesotrione with Durus to corn, do not exceed an application rate of 0.24 lbs ai of mesotrione (0.80 gal) per acre per year.

#### Atrazine

- If no atrazine was applied prior to corn emergence, apply a maximum of 2.0 lbs atrazine ai (1.04 gal of product) per acre. If post-emergence treatment is required following an earlier herbicide application, the total atrazine applied must not exceed 2.5 lbs atrazine ai (1.30 gal of product) per acre per calendar year.
- Apply a maximum of 2.0 lbs atrazine ai (1.04 gal of product) per acre if a single preemergence application is made on soils that are not highly erodible or on highly erodible soil if at least 30% of the soil is covered with plant residues.
- Apply a maximum of 1.6 lbs atrazine ai (0.83 gal of product) per acre as a single preemergence application on highly erodible soils if less than 30% of the soil is covered with plant residues; or 2.0 lbs atrazine ai (1.04 gal of product) per acre if only applied post-emergence.



◀ See label for complete application guidelines and restrictions.

©2025 Albaugh, LLC. All rights reserved. Albaugh and the Albaugh logo are registered trademarks and Durus and Salvus are trademarks of Albaugh, LLC. Harness is a registered trademark of Bayer CropScience LP. Durus is a restricted use pesticide. Always read and follow label restrictions, precautions and directions for use. Some products may not be registered for sale or use in all states or counties. Please check with your local extension service to ensure registration status.