

VERIFY™ ATZ LITE

**PREEMERGENCE THROUGH EARLY POSTEMERGENCE
HERBICIDE FOR USE IN FIELD CORN, SILAGE CORN, SWEET
CORN, POP CORN, AND PRODUCTION SEED CORN.**

Verify™ ATZ Lite is recommended for control of yellow nutsedge and many annual grasses and broadleaf weeds listed in the “WEEDS CONTROLLED” section of the product label. This product alone will not control emerged seedlings.

Verify ATZ Lite may be applied either as a surface application before or after planting, or after crop emergence. It may also be shallowly incorporated prior to planting to blend the herbicide treatment into the upper 1 to 2 inches of soil. Except for minimum or conservation tillage systems, the seedbed should be fine, firm and free of clods and trash.

PRODUCT FEATURES

- Labeled on more than 40 annual grass and broadleaf weeds and sedges, including yellow nutsedge, barnyardgrass, foxtails, lambsquarters, velvetleaf, and waterhemp.
- Offers a flexible rate range of acetochlor and atrazine, depending on soil type and texture.
- Flexible application window from preplant and preemergence through early postemergence in corn up to 11” in height.
- May be tank mixed with other labeled herbicides to expand the spectrum of control.

See label for complete application guidelines and restrictions.



ACTIVE INGREDIENT

4.3 lbs/gal acetochlor +
1.7 lbs/gal atrazine

HRAC GROUP

5, 15

FORMULATION

Suspension concentrate

REI

12 hours

COMPARE TO

Harness® Xtra

MODE OF ACTION

PS II inhibitor, long-chain
fatty acid inhibitor

SIGNAL WORD

Caution

RESTRICTED USE

Yes

PACKAGING

NR 265, bulk

EPA REG NUMBER

42750-409 | AD090524

VERIFY™ ATZ LITE

FREQUENTLY ASKED QUESTIONS

How should Verify™ ATZ Lite be applied in corn for best results in conventional tillage systems?

- For preplant applications in conventional tillage systems, apply 1.8 qt/A in coarse soils, 1.8-2.3 qt/A in medium soils, and 2.0-2.3 qt/A in fine soils.
- For postemergence surface applications, add up to 1 pt/A of 2,4-D as a tank-mix partner to aid in control of existing weeds. Some leaf burn to corn may occur occasionally but subsequent growth or yield should not be affected. DO NOT make postemergence surface applications using sprayable fluid fertilizer as the carrier because severe crop injury may occur.
- In areas of heavy weed infestation use up to 2.7 quarts per acre on medium- and fine-textured soils.

How should Verify ATZ Lite be applied in corn for best results in minimum/conservation tillage systems?

- For early preplant applications in minimum/conservation tillage systems, apply 1.8 qt/A in coarse soils and 2.3 qt/A in medium or fine soils.
- Single applications should be made less than 30 days before planting, but prior to weed emergence. On coarse-textured soils, applications should not be made more than two weeks prior to planting.
- Split applications should be made with 60% of the full-rate applied prior to weed emergence, no more than 45 days prior to planting. The remaining 40% should be applied at or immediately following planting, but before crop emergence.
- In areas of heavy weed infestation, use up to 2.7 qt/A on medium- and fine-textured soils.
- In order to provide broad-spectrum weed control, both single and split applications of this product must be followed with a planned postemergence application of a labeled broadleaf and/or grass herbicide.
- Refer to the label for application instructions for Verify ATZ Lite following a Simazine brand herbicide.



◀ See label for complete application guidelines and restrictions.

©2025 Albaugh, LLC. All rights reserved. Albaugh and the Albaugh logo are registered trademarks and Verify is a trademark of Albaugh, LLC. Harness is a registered trademark of Monsanto. Verify ATZ Lite and Harness Xtra are restricted use pesticides. Always read and follow label directions, precautions and restrictions for use. Some products may not be registered for sale or use in all states or counties. Please check with your local extension service to ensure registration status. All products are EPA registered.