

FLUAZINAM 40SC SELECT™

Dollar spot control on creeping bentgrass putting greens

Dr. Bruce Clarke, Rutgers University

Trial objective

To determine the efficacy of Fluazinam 40SC Select™ compared to Secure® for controlling dollar spot caused by the fungus *Clariireedia* spp. on a creeping bentgrass putting green.

Materials and methods


- Trial was initiated on May 24, 2019 and concluded on September 11, 2019.
- Each product underwent 4 replications. An untreated control plot was used for fungicide comparison. Testing plots were 3 ft by 5 ft.
- Fungicides were applied every 14 days for the duration of the study.

- Number of lesions were counted in the center of each plot every 10 days.
- Turf quality ratings are based on a 1-9 scale: 9 = best quality, with 5 being commercially acceptable.


Trial results and conclusions

- Fluazinam 40SC Select (0.5 oz per 1000 ft²) provided control of dollar spot statistically equal to Secure. Both fungicides provided excellent season long disease suppression.
- Fluazinam 40SC Select (0.5 fl oz per 1000 ft²) had great turf quality rating of 7.8.

Number of lesion centers



Turf quality



◀ Scan for more information about Fluazinam 40SC Select.

Albaugh Specialty Products • 1525 NE 36th Street, Ankeny, IA 50021 • albaughspecialty.com

©2024 Albaugh, LLC. Albaugh and the A logo are registered trademarks and Fluazinam 40SC Select is a trademark of Albaugh, LLC. Secure is a registered trademark of Ishihara Sangyo Kaisha. Always read and follow label restrictions, precautions, and directions for use. This product may not be registered for sale or use in all states or counties. Please check with your state agency responsible for pesticide registration to ensure registration status.