

TURF GROWTH REGULATOR

TRIN-PAC SELECT™

REDUCE TURF MANAGEMENT COSTS IN RESIDENTIAL
AND NON-RESIDENTIAL APPLICATIONS.



Trin-Pac Select™ promotes dense, healthy turf by reducing gibberellic acid production. Vertical shoot growth is slowed, while lateral and root-zone growth of rhizomes, stolons, tillers, and roots is stimulated. Using **Trin-Pac Select** reduces mowing frequency and grass clippings production, while improving turf color, quality, and density.

PRODUCT FEATURES

- Reduce turf maintenance costs.
- Increase the color, quality, and density of turf.
- Reduce turf growth by 50% for up to four weeks.
- Improves drought resistance and stress recovery.
- Rainfast within 1 hour after application.
- Can be used to extend the life of turf-marking paint.

LABELED USES

- Golf courses
- Residential lawns
- Commercial lawns
- Sod farms
- Athletic fields
- Cemeteries
- Difficult-to-mow areas

ACTIVE INGREDIENT

11.3% trinexapac-ethyl

HRAC GROUP

23

FORMULATION

Micro emulsion

CHEMICAL FAMILY

Turf growth regulator

COMPARE TO

Primo Maxx®

MODE OF ACTION

Suppresses turf growth by temporarily inhibiting the production of gibberellic acid

RESTRICTED USE

No

SIGNAL WORD

Caution

PACKAGING

2 x 1 gal, 2 x 2.5 gal

EPA REG NUMBER

89442-7

TRIN-PAC SELECT™

REDUCE TURF MANAGEMENT COSTS IN RESIDENTIAL AND NON-RESIDENTIAL APPLICATIONS.

APPLICATION INFORMATION

Applications with turf-marking paint.

The duration of marking paint on turf can be extended when **Trin-Pac Select™** is applied before or with the marking agents. When used with latex-based marking agents, mix **Trin-Pac Select** with water before adding the marking agent.

Application rates and timing.

Apply **Trin-Pac Select** to actively growing turf. Use the lower rate of **Trin-Pac Select** in situations when turf is going dormant due to high or low temperatures, or to lack of moisture. The Application Rate Table provides use rates that lead to approximately 50% growth inhibition over a 4-week period and produce little or no discoloration of turf when turf is growing under favorable conditions.

A maximum of twice the recommended **Trin-Pac Select** rate from the Application Rate Table may be applied in order to ensure extended growth suppression of up to 8 weeks and when temporary discoloration can be tolerated.

Equipment.

Trin-Pac Select may be applied using one of the following types of spray equipment:

- Backpack sprayers
- Hand sprayers
- Boom sprayers
- Spraygun application devices

Mowing.

For greater suppression with **Trin-Pac Select**, maintain turfgrass at lower mowing heights. Note that the rates given in the Application Rate Table are for turf at typical mowing heights; therefore, the application rates should be adjusted based on the grass height at application. The lower the height of cut of the particular turfgrass species, the less material is required to provide the desired turf growth regulator effect.



◀ See label for complete application guidelines and restrictions.

©2023 Albaugh, LLC. Albaugh and the A logo are registered trademarks and Trin-Pac Select is a trademark of Albaugh, LLC. Primo Maxx is a registered trademark of Syngenta. Always read and follow label restrictions, precautions, and directions for use. This product may not be registered for sale or use in all states or counties. Please check with your state agency responsible for pesticide registration to ensure registration status.