SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200)



Issuing Date 25-Nov-2025 Revision date 25-Nov-2025 Revision Number 1

1. Identification

Product identifier 1000060

Product Name NUDRIN LV

Other means of identification

Product Code(s) 1000060, 1000061, 1000062

UN number or ID number 2991

Synonyms None

Registration Number(s) 83100-27-83979

Other information FIFRA - Restricted Use

Recommended use of the chemical and restrictions on use

Recommended use Insecticide

Restrictions on use It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

Details of the supplier of the safety data sheet

Company Address

ALBAUGH LLC 1525 NE 36th St, Ankeny, IA 50021 USA

Emergency telephone number

Company Phone Number 1-800-247-8013

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident:

• Call CHEMTREC Day or Night within USA and Canada: 1-800-424-9300, Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

For Medical Emergencies Only:

• Call Albaugh LLC Day or Night within USA and Canada: 1-888-347-6732

This product is an EPA FIFRA registered pesticide. Some classifications on this SDS are not the same as the FIFRA label. Certain sections of this SDS are superseded by federal law governed by US EPA for a registered pesticide. Please see Section 15. REGULATORY INFORMATION for explanation.

2. Hazard(s) identification

Classification

Acute toxicity - Oral	Category 2
Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 3
Serious eye damage/eye irritation	Category 1

Carcinogenicity	Category 1B
Specific target organ toxicity (single exposure)	Category 1
Flammable liquids	Category 3

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Danger

Hazard statements

Fatal if swallowed

Toxic in contact with skin

Toxic if inhaled

Causes serious eye damage

May cause cancer

Causes damage to organs

Flammable liquid and vapor



Appearance clear Liquid

Physical state Liquid

Odor Aromatic

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapor/spray

Use only outdoors or in a well-ventilated area

Wear respiratory protection

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground and bond container and receiving equipment

Use explosion-proof electrical/ ventilating / lighting / equipment

Use only non-sparking tools

Take action to prevent static discharges

Keep cool

Wear protective gloves/clothing and eye/face protection

Avoid release to the environment

Precautionary Statements - Response

Specific treatment (see Section 4 of this SDS)

IF exposed: Call a POISON CENTER or doctor

Call a POISON CENTER or doctor if you feel unwell

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER or doctor

IF SWALLOWED: Immediately call a POISON CENTER or doctor

Rinse mouth

In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Keep cool.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Unknown acute toxicity

Other information

Very toxic to aquatic life with long lasting effects. Very toxic to aquatic life.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical Family Organophosphates.

Chemical nature Mixture of organophosphorous compounds.

Chemical name	CAS No.	Weight-%	Active Ingredient
Ethanimidothioic acid, N-	16752-77-5	28-30	
[[(methylamino)carbonyl]oxy]-, methyl ester			
Cyclohexanone	108-94-1	20-30	
Methanol	67-56-1	8-10	

Other ingredients not identified by name are non hazardous.

4. First-aid measures

Description of first aid measures

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention. If breathing

has stopped, give artificial respiration. Get medical attention immediately. Immediate medical attention is required. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained

personnel should) give oxygen.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Get immediate medical attention.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get immediate medical attention.

Ingestion Get immediate medical attention. Do NOT induce vomiting. Rinse mouth. Never give

anything by mouth to an unconscious person.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use

personal protective equipment as required. See section 8 for more information. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Do not breathe vapor or mist.

Most important symptoms and effects, both acute and delayed

Symptoms Coughing and/ or wheezing. Difficulty in breathing.

If poisoning symptoms appear (See Poisoning Symptoms), get medial attention.

POISONING SYMPTOMS - Methomyl poisoning produces effects associated withanticholinesterase activity which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors. If poisoning symptoms appear, refer to First Aid section and seek medical attention at once.

May result in permanent damage including blindness.

Indication of any immediate medical attention and special treatment needed

Note to physicians ATROPINE IS AN ANTIDOTE: SEEK MEDICAL ATTENTION AT ONCE IN ALL CASES

OF SUSPECTED POISONING.

TREATMENT: Atropine sulfate should be used for treatment. Administer repeated doses, 1.2 to 2.0 mg intravenously every 10 to 30 minutes until full atropinization is achieved. Maintain atropinization until the patient recovers. Artificial respiration or oxygen may be necessary. Allow no further exposure to any cholinesterase inhibitor until recovery is assured. Do not use 2-PAM for exposure to NUDRIN LV INSECTICIDE alone. However, for exposure to combinations of NUDRIN LV INSECTICIDE and organophosphorous insecticides, 2-PAM may be used as required to supplement the atropine sulfate treatment. Do not use morphine. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

5. Fire-fighting measures

Suitable Extinguishing Media Large Fire Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam. CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media

Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge

Yes.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions

Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources

(no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Do not breathe

vapor or mist.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse. Do not breathe vapor or mist. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Ethanimidothioic acid, N- [[(methylamino)carbonyl]oxy]-, methyl ester 16752-77-5	TWA: 0.2 mg/m³ inhalable fraction and vapor S*	(vacated) TWA: 2.5 mg/m ³	TWA: 2.5 mg/m ³
Cyclohexanone 108-94-1	STEL: 50 ppm TWA: 20 ppm S*	TWA: 50 ppm TWA: 200 mg/m³ (vacated) TWA: 25 ppm	IDLH: 700 ppm TWA: 25 ppm TWA: 100 mg/m³

		(vacated) TWA: 100 mg/m³ (vacated) S*	
Methanol 67-56-1	STEL: 250 ppm TWA: 200 ppm S*	TWA: 200 ppm TWA: 260 mg/m³ (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m³ (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m³ (vacated) S*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m³ STEL: 250 ppm STEL: 325 mg/m³

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Chemical name	ACGIH
Ethanimidothioic acid, N-[[(methylamino)carbonyl]oxy]-, methyl ester	60 % of baseline - plasma (Butyrylcholinesterase activity) -
16752-77-5	end of shift
	70 % of baseline - red blood cells (Acetylcholinesterase
	activity) - end of shift
Methanol	15 mg/L - urine (Methanol) - end of shift
67-56-1	· · ·

Appropriate engineering controls

Engineering controls Showers

> Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls Prevent product from entering drains.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing must not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

Do not breathe vapor or mist.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid **Appearance** clear Liquid Color blue Odor Aromatic

Odor threshold No information available

Property <u>Values</u> Remarks • Method

рΗ 5.33 1% in water

pH (as aqueous solution)

Melting point / freezing point
Initial boiling point and boiling

No data available
No data available

range

Flash point 41 °C / 105.8 °F Seta Closed Cup

Evaporation rate No data available Flammability No data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure

Relative vapor density

No data available
No data available

Relative density 1.06 g/cm3 @ 20°C

Water solubilityNo data availableSolubility(ies)No data availablePartition coefficientNo data availableAutoignition temperatureNo data available

Decomposition temperature

Kinematic viscosity

No data available

No data available

No data available

Other information

Explosive properties

Oxidizing properties

No information available
VOC content
No information available
Liquid Density
No information available
Bulk density
No information available

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Heat, flames and sparks. Excessive heat.

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation May be fatal if inhaled.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

Skin contact Harmful in contact with skin. May be absorbed through the skin in harmful amounts.

Ingestion Fatal if swallowed.

Listed densify is an approximate value and does not necessarily represent that of a specific batch (lbs/gallon)*

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Coughing and/ or wheezing. Difficulty in breathing.

Acute toxicity

Numerical measures of toxicity

Unknown acute toxicity

 Oral LD50
 55-174 mg/kg (rat)

 Dermal LD50
 > 2000 mg/kg (rabbit)

 Inhalation LC50
 0.053 - 0.35 mg/l (4 hr)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethanimidothioic acid, N-	= 51 mg/kg (Rat)	= 1050 mg/kg (Rat)	= 77 ppm (Rat) 4 h
[[(methylamino)carbonyl]oxy]-,			
methyl ester			
16752-77-5			
Cyclohexanone	= 1544 mg/kg (Rat)	= 947 mg/kg (Rabbit)	> 6.2 mg/L (Rat)4 h
108-94-1			
Methanol	= 6200 mg/kg (Rat)	= 15840 mg/kg (Rabbit)	= 22500 ppm (Rat) 8 h
67-56-1		= 15800 mg/kg (Rabbit)	= 64000 ppm (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Not classified.

Serious eye damage/eye irritation Causes serious eye damage.

Respiratory or skin sensitization Not classified.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Cyclohexanone	-	Group 3	-	-
108-94-1				

Legend

IARC (International Agency for Research on Cancer)
Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity Not classified.

STOT - single exposure Based on the classification criteria of the Globally Harmonized System as adopted in the

country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs if swallowed. Causes damage to organs in contact with skin.

STOT - repeated exposure Not classified.

Target organ effects Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood,

Gastrointestinal tract (GI), Central Vascular System (CVS).

Aspiration hazard Not applicable.

Other adverse effects No information available.

Revision date 25-Nov-2025

1000060 - NUDRIN LV

Interactive effects

No information available.

12. Ecological information

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethanimidothioic acid, N-	-	LC50: =2.11mg/L (96h,	-	EC50: 0.0041 -
[[(methylamino)carbonyl]o		Pimephales promelas)		0.019mg/L (48h, Daphnia
xy]-, methyl ester		LC50: =1.2mg/L (96h,		magna)
16752-77-5		Oncorhynchus mykiss)		_ ,
		LC50: =0.71mg/L (96h,		
		Lepomis macrochirus)		
Cyclohexanone	-	LC50: 481 - 578mg/L	-	-
108-94-1		(96h, Pimephales		
		promelas)		
		LC50: =8.9mg/L (96h,		
		Pimephales promelas)		
Methanol	-	LC50: =28200mg/L (96h,	-	-
67-56-1		Pimephales promelas)		
		LC50: >100mg/L (96h,		
		Pimephales promelas)		
		LC50: 19500 -		
		20700mg/L (96h,		
		Oncorhynchus mykiss)		
		LC50: 18 - 20mL/L (96h,		
		Oncorhynchus mykiss)		
		LC50: 13500 -		
		17600mg/L (96h,		
		Lepomis macrochirus)		

Persistence and degradability

This pesticide is toxic to fish, aquatic invertebrates, and mammals. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean highwater mark. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwater or rinsate. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area. This chemical is known to leach through soil into groundwater under certain conditions as a result of label use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. This chemical can contaminate surface water through spray drift. Under some conditions, it may also have a high potential for runoff into surface water for several days to weeks after application. These include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas overlaying extremely shallow groundwater, areas with in-field canals or ditches that drain to surface water, areas not separated from adjacent surface waters with vegetated filter strips, and areas overlaying tile drainage systems that drain to surface water.

Bioaccumulation

There is no data for this product.

Component Information

Chemical name	Partition coefficient
Ethanimidothioic acid, N-[[(methylamino)carbonyl]oxy]-, methyl	0.6
ester	
16752-77-5	
Cyclohexanone	0.86
108-94-1	
Methanol	-0.77
67-56-1	

Other adverse effects No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused Should not be released into the environment. Dispose of in accordance with local

products regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers.

US EPA Waste Number D001, U154, P194, P066.

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as

a hazardous waste.

14. Transport information

TDG

UN number or ID number 2991

UN proper shipping name Carbamate pesticide, solid, toxic, flammable

Transport hazard class(es) 6.1
Subsidiary hazard class 3
Packing group III

DOT

Notes NOTE - For containers with a net quantity of 344 LBS or more, the descriptive

text/designation "RQ" is required either before or after the shipping description.

UN number or ID number 2991

Proper shipping nameCarbamate pesticides, liquid, flammable, toxic

Transport hazard class(es) 6.1
Subsidiary hazard class 3
Packing group III
Reportable quantity - lbs 344

Special Provisions B1, IB3, T7, TP2, TP28

Emergency Response Guide

Number

e 131

<u>IATA</u>

UN number or ID number 2991

UN proper shipping name 2991 - Carbamate pesticide, liquid, toxic, flammable

Transport hazard class(es) 6.1
Subsidiary hazard class 3
Packing group III

Technical Name Methomyl Methanol

Description UN2991, Carbamate pesticide, liquid, toxic, flammable (Methomyl, Methanol), 6.1 (3), III

Special Provisions A3, A4 **ERG Code** 6F

IMDG

UN number or ID number 2991

UN proper shipping name 2991 - Carbamate pesticide, liquid, toxic, flammable

Transport hazard class(es) 6.1
Subsidiary hazard class 3
Packing group III

EmS-No F-E, S-D Special Provisions 61, 223, 274

Description UN2991, Carbamate pesticide, liquid, toxic, flammable (Methomyl, Methanol), 6.1 (3), III

15. Regulatory information

U.S. EPA Label Information

EPA Pesticide Registration Number 83100-27-83979

EPA Pesticide LabelRThis chemical is a pesticide product registered by the Environmental Protection Agency

and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard

information as required on the pesticide label:

Difference between SDS and EPA

pesticide label

DANGER/POISON (Skull & Crossbones): Contains Methanol. Methanol may cause blindness. Corrosive. Causes irreversible eye damage. May be fatal if swallowed or if inhaled. Harmful if absorbed through skin. Do not get in eyes or on clothing. Do not breathe spray mist. Avoid contact with skin. PHYSICAL AND CHEMICAL HAZARDS Combustible. Do not use or store near heat or open flame. Keep container closed. Use with adequate ventilation. The product shows potential explosive properties when heated to elevated temperatures.

International Inventories

TSCA Does not comply **DSL/NDSL** Does not comply **EINECS/ELINCS** Does not comply **ENCS** Does not comply **IECSC** Does not comply **KECL** Does not comply **PICCS** Does not comply AIIC Does not comply

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Methanol - 67-56-1	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Ethanimidothioic acid, N-	100 lb	100 lb
[[(methylamino)carbonyl]oxy]-, methyl ester		
16752-77-5		
Cyclohexanone	5000 lb	-
108-94-1		
Methanol	5000 lb	-
67-56-1		

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65	
Methanol - 67-56-1	Developmental	

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethanimidothioic acid, N-	X	X	X
[[(methylamino)carbonyl]oxy]-,			
methyl ester			
16752-77-5			
Cyclohexanone	X	-	X
108-94-1			
Methanol	X	X	X
67-56-1			

16. Other information

NFPA
HMISHealth hazards3Flammability2Instability0Special hazards-Chronic Hazard Star Legend* = Chronic Health Hazard* = Chronic Health Hazard* = Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date25-Nov-2025Revision date25-Nov-2025

Revision NoteNo information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of Albaugh, LLC knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DISCLAIMER: The information presented herein is based on available data from reliable sources and is correct to the best of Albaugh's knowledge. Albaugh makes no warranty, express or implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA APPROVED PRODUCT LABELING (attached to and accompanying the product container). This SDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course. Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling. It is a violation of federal law to use a pesticide product in any manner not prescribed on the EPA-approved label.

End of Safety Data Sheet